

ICC-ES Report

PMG-1436

Issued 06/2017

ICC-ES | (800) 423-6587 | (562) 699-0543 | www.icc-es.org

This report is subject to renewal 06/2018

EVALUATION SUBJECT:

JETBACKER™, TRITON WPBK, TRITON BK™ AND JETBOARD™ TILE BACKER BOARD AND UNDERLAYMENT

DIVISION:

22 00 00—PLUMBING

SECTION:

22 40 00—PLUMBING FIXTURES (SHOWER SYSTEM KIT)

Report Holder:

JET PRODUCTS, LLC

770 BRADFIELD ROAD #575
HOUSTON, TX 77060



Look for the ICC-ES marks of Conformity!



ICC-ES PMG Product Certificate

PMG-1436

Effective Date: June 2017

This listing is subject to re-examination in one year.



www.icc-es-pmg.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

CSI: DIVISION: 22 00 00—PLUMBING
Section: 22 40 00—Plumbing Fixtures (Shower System Kit)

Product certification system:

The ICC-ES product certification system includes testing samples taken from the market or supplier's stock, or a combination of both, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the supplier's quality system.

Product: JetBacker™, Triton WPBK, Triton BK™ and JetBoard™ Tile Backer Board and Underlayment

Listee: Jet Products, LLC
770 Bradfield Road #575
Houston, Texas 77060
www.jet-board.com
www.tritonwatertight.com

Compliance with the following codes:

2015, 2012 and 2009 *International Plumbing Code*® (IPC)
2015, 2012 and 2009 *International Residential Code*® (IRC)
2015, 2012 and 2009 *Uniform Plumbing Code*® (UPC)*
2015, 2010 and 2005 *National Plumbing Code of Canada***

**Uniform Plumbing Code is a copyrighted publication of the International Association of Plumbing and Mechanical Officials*
** *National Plumbing Code of Canada is a copyrighted publication of National Research Council Canada*

Compliance with the following standard:

ANSI A118.9-1999(R2010), Test Methods and Specifications for Cementitious Backer Units
ANSI A118.10-2014, Load Bearing, Bonded, Waterproof Membranes for Thin-Set Ceramic Tile and Dimension Stone Installations
ASTM E84-2016, Test Method for Surface Characteristics of Building Materials
ASTM E119-2016a, Test Method for Fire Tests of Building Construction and Materials

Identification:

Packaging label for each system shall include the manufacturer's name or trademark as well as the ICC-ES PMG certification mark.

Installation:

The JetBacker™ and Triton BK / WPBK™ and JetBoard™ products shall be installed in accordance with the manufacturer's published instructions and the applicable code(s).

Listings are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the listing or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this listing, or as to any product covered by the listing.

Models:

The JetBacker™ and Triton BK are moisture, mold and mildew resistant, glass-mat reinforced magnesium cement boards with a flame-spread rating of 0 and smoke development rating of less than 10 for a Class A rating when tested in accordance with ASTM E84 and is available in sizes, 3 x 5 foot by 1/4 inch thick (914 x 1524 x 6 mm) and 3 x 5 foot by 1/2 inch thick (914 x 1524 x 12 mm) and 3 x 5 foot by 1/8 inch thick (914 x 1524 x 3 mm) and 4 x 8 foot by 1/4 inch thick (1220 x 2440 x 6 mm) and 4 x 8 foot by 1/2 inch thick (1220 x 2440 x 12 mm)

Triton WPBK™ is a water, mold, and fire resistant tile backer board underlayment that combines the magnesium cement technology of Triton BK together with a factory applied Triton WP™ watertight membrane and vapor barrier, a three layer combination of non-woven polypropylene and waterproof polyethylene. The Triton WP™ watertight membrane fully complies with ANSI A118.10. Triton WPBK™ is available in size, 3 x 5 foot by 1/2 inch thick (914 x 1524 x 12 mm).

The JetBoard™ is a high-moisture, mold and mildew resistant, magnesium oxide (MgO) board with a 1 hour assembly rating when tested to ASTM E119 and has a Class A rating when tested in accordance with ASTM E84. The JetBoard™ is available in 3 standard sizes 4 x 8 foot (1220 x 2440 mm), 4 x 9 foot (1220 x 2744 mm) and 4 x 10 foot (1220 x 3048 mm) and 2 width sizes of 1/4 inch (6 mm) or 1/2 inch (12 mm) thick.

Conditions of Listing:

1. The JetBacker™ and Triton BK and WPBK™ and JetBoard™ products shall be installed in accordance with the manufacturer's published instructions and the applicable code(s).
2. The JetBacker™ and Triton BK and WPBK™ and JetBoard™ products are manufactured by Jet Products, LLC under a quality control program with annual surveillance inspections by ICC-ES.

